

CURB SHOES

SNOW & ICE CONTROL

FEATURES & BENEFITS:

Our Curb Shoes are engineered with the same quality and durability you've come to expect from Bonnell Industries. Our standard heavy duty curb shoes are built to last. Add our Carbide Infusion

Technology with Chromium Carbide Weld or Chromium Carbide Weld with embedded Tungsten Carbide and extend the life of the curb shoes even further.

1 1" x 8" Heavy Duty Wrap Around with two passes of carbide on the front and end.

2 3/4" x 8" Reversible Wrap Around with one pass of carbide on the front and two on the end.

3 3/4" x 6 Bull Nose



CURB SHOES MODEL NUMBERS & SPECIFICATIONS

PART NUMBER:

BON-003126L
 BON-003126R
 BON-003128L
 BON-003128R
 BON-003233.6
 BON-003235.6
 BON-003231
 BON-003230
 BON-003224.3

DESCRIPTION:

1 x 6 Heavy Duty Wrap Around, LH
 1 x 6 Heavy Duty Wrap Around, RH
 1 x 8 Heavy Duty Wrap Around, LH
 1 x 8 Heavy Duty Wrap Around, RH
 3/4 x 6 Reversible Wrap Around
 3/4 x 8 Reversible Wrap Around
 3/4 x 6 Reversible Bull Nose
 Bullnose for Scraper
 Wrap around angled for wing

BASE WEIGHT:

47 lbs.
 47 lbs.
 66 lbs.
 66 lbs.
 17 lbs.
 23 lbs.
 21 lbs.
 21 lbs.
 16 lbs.



HEAVY DUTY WRAP AROUND

Fits both left and right sides and comes in a 1" x 6" or 1" x 8" configuration.



REVERSIBLE WRAP AROUND

Fits both left and right sides and comes in a 3/4" x 6" or 3/4" x 8" configuration.



REVERSIBLE BULL NOSE

Fits both left and right sides and comes in a 3/4" x 6" or 3/4" x 8" configuration.



AUTHORIZED DEALER:

www.bonnell.com • (800) 851-9664 • info@bonnell.com
 1385 Franklin Grove Rd. • Dixon, IL 61021



RUNNING GEAR & WEAR SHOES

SNOW & ICE CONTROL



Mushroom Shoe Assembly

This shoe assembly features a heavy-duty cast ductile shoe which gets its name from its inverted mushroom-type shape. The telescopic assembly is offered in both standard (2" post) or heavy-duty (2-1/2" post) versions.

Rubber Tire Assembly

Rubber tire assemblies feature either 5.70 by 8.0 Pneumatic tires or foam filled tires on a heavy-duty cast hub. These tires are offered on a swivel arrangement, allowing the tire to trail in the direction of travel. These assemblies do not caster 360°.

10" Kingpinless Steel Wheel Caster Assembly

Steel casters have proven themselves as one of the most durable and reliable running gears on the market today. The Bonnell steel caster assemblies feature a greaseless, kingpinless swivel assembly which can withstand loads of up to 20,000 lb. They also feature a heavy-duty telescoping height adjustment consisting of an outer housing constructed of 3- 1/2" square structural tubing. These running gears will withstand years of the severe conditions encountered when plowing snow.

HD Even Wear Shoe Assembly

These Bonnell even wear shoe assemblies feature a ball and socket type design which allows the shoe to pivot and rotate about the center of the ball. Because of these allowed motions, the shoe will follow the changing contour of the road, and wear much more evenly than conventional shoes, thus prolonging the life of the shoe.

Tired of losing shoes because bolts fall out? The top bolt design feature on the even wear allows a full 2" of shoe wear without wearing into the bolt heads.

STANDARD FEATURES AND BENEFITS

- 1 1-1/4" diameter ACME threaded screw assemblies (except Standard Duty Mushroom Assemblies)
- Greaseable hub bearing on wheel assemblies
- Exclusive Spin-Easy crank handle

ALSO AVAILABLE:

Carbide evenwear - see reverse.



Rubber Tire Assembly



Mushroom Shoe Assembly




Snow Wheels



HD Even Wear Shoe Assembly

OTHER WEAR PRODUCTS BY BONNELL



Shoe set-up when new - note the wear surface is parallel to the ground, giving you the best wear surface in the industry.



Developed exclusively for Bonnell, the carbide even-wear shoes will give you the extra wear you need for those long winter plowing conditions. Each shoe is cast with a ring of 17 carbide inserts in the bottom wear surface, increasing the life of the shoe up to five times, depending on conditions.



Moldboard shoes from Bonnell are not the run of the mill generic casting. These shoes are fabricated specifically for each plow. Bonnell Moldboard Shoes are made using 1-1/4" AR400 wear plate, giving you superior, long lasting shoes. These shoes are fabricated to match your specific moldboard pitch, giving you full use of the shoe wear plate no matter what plow you have - a full 60 square inches each.



Bonnell offers both 6" and 8" wrap around curb guards. These curb guards are made from 3/4" thick material, giving you the extra protection you need in severe conditions.




www.bonnell.com • (800) 851-9664 • info@bonnell.com
1385 Franklin Grove Rd. • Dixon, IL 61021



AUTHORIZED DEALER:

POLAR - FLEX BLADES

SNOW & ICE CONTROL



CLASSIC (SERIES I)


Flex elements and wear segments can be easily separated for environmentally safe recycling, a unique Polar Flex™ feature.

Custom size configurations available on request, nose pieces & various styles of curb runners are available for both configurations

Heat treated parts are warranted against breakage throughout the usable life of the part.

FRONT MOUNT (SERIES II) AND DIRECT MOUNT (SERIES II)

Individual 12 inch carbide tipped steel segments are mounted using a patented system of reusable synthetic rubber flexible elements. This mounting technique significantly reduces vibration while simultaneously allowing the cutting edge to conform to the surface of the road. These two capabilities allow the system to clean the road better (less salt, fewer trips, safer roads) and reduce chatter (longer blade life, less plow maintenance, reduced operator fatigue).





CLASSIC MOUNT SERIES I

Heavy duty, one piece welded construction with a robust and rigid design.





FRONT MOUNT SERIES II

Less weight/lower height, easier segment changes, ideal for reversible plows and wings.



DIRECT MOUNT SERIES III

Doesn't raise the moldboard height, and keeps the cost down on replacement parts because the mounting is built into the plow.



www.bonnell.com • (800) 851-9664 • info@bonnell.com
1385 Franklin Grove Rd. • Dixon, IL 61021



AUTHORIZED DEALER:

LEVEL RAISE LIFT SYSTEM

SNOW & ICE CONTROL

FEATURES & BENEFITS:

- 1 Can be set in any of 3 sets of holes enabling different degrees of leveling capability, increasing the workability with different types of hitch/lift arm combinations



High Country Series



Metropolitan Series




Utility Series



By shifting the positions of the chain hookup points on the plow using the Level Raise Lift System™, the table pin-up points and moldboard cutting edge remain parallel to the ground.



Reversed to the right



Bulldoze



Reversed to the left



www.bonnell.com • (800) 851-9664 • info@bonnell.com
1385 Franklin Grove Rd. • Dixon, IL 61021



AUTHORIZED DEALER: