

TITAN LEAF PRO

EQUIPMENT FEATURES:

- Dual safety interlock system on intake nozzle & belt guard
- Manual jack, fire extinguisher, wheel chocks
- 5 - belt drive system with 30" balanced fan
- DOT compliant lighting, markings, and yellow flashers
- 74 hp diesel-powered, liquid cooled engine
- 12 volt battery with electrical system
- 16" diameter discharge nozzle
- 7,000 lb axle with electric trailer brakes
- 50 gallon fuel tank
- 16" overhead supported clear collection hose with quick disconnect
- 30" Fan-Heavy duty hand clutch
- Clean out door



Titan LEAFTM
PRO 11



HGACBuy

Sourcwell


Awarded Contract

SPECIFICATIONS

Weight, Base Model 5,900 lbs
Fuel Tank, Aluminum..... 50 U.S. Gallons
Engine..... 74 hp Tier 4, liquid-cooled diesel-powered engine
Collection Nozzles Right-side
Parking Jack Manual
Battery 12 volt, 1190 amp; 950 CCA
Axle 7,000 lb with electric brakes
Tires ST235/80R16, load range E
Fan 30" diameter
Belts (five)..... 5VX

OPTIONS

- 1 100 gallon dust control system
- 2 Directional light bar
- 3 Strobe lights
- 4 Driver side pick up
- 5 Wireless camera system
- 6 Trans-fluid coupler in lieu of standard clutch
- 7 Heavy duty rubber hose
- 8 Spare tire-tool rack
- 9 74 Hp John Deere diesel engine



The Titan Leaf Pro is a great option if you have a small team and vehicle already fitted with a leaf cap. Efficient and easy to use, this machine will make quick work of any cleanup job.



Titan LEAF™
 SOLUTIONS

www.titanleafsolutions.com • (800) 851-9664
 info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER:

TITAN LEAF PRO PLUS

EQUIPMENT FEATURES:

- Proportional control with seat. Includes 3 axis underslung hydraulic boom
- DOT compliant lighting, markings, and yellow flashers
- 5 - belt drive system with 30" fan
- 12 volt battery
- 74 hp Tier 4, liquid-cooled diesel-powered engine
- 7,000 lb axle with electric trailer brakes
- 14,000 lb 3" adjustable pintle eye with safety chain
- 50 gallon fuel tank
- Hydraulic jack, fire extinguisher, wheel chocks
- 16" diameter pickup hose with 3 - function hydraulically controlled pickup arm
- Quick disconnect suction hose
- Dual safety interlock system on intake nozzle & belt guard
- Clean out door



Titan LEAF PRO +TM II

HGACBuy



Sourcwell

Awarded Contract



The ride-on operator seat of the Titan Leaf Pro + will make a noticeable difference to your efficiency. Not only does it make clean-up quicker, but also protects workers from injury and exhaustion.





Now Offering ECO Mode

Results in Fuel, Noise, & Dust Reduction

Patent Pending

OPTIONS



- 
- 1 74 hp or 99 hp Tier 4 John Deere®
 - 2 Spare tire & tool rack
 - 3 Dust control system 100 U.S. gallons
 - 4 32" diameter fan (only with a 99hp John Deere)
 - 5 Trans-fluid coupler or hydraulic clutch in lieu of standard clutch
 - 6 Swivel discharge/all steel
 - 7 Driver side pick up
 - 8 Heavy duty rubber hose
 - 9 Wireless controls
 - 10 Directional light bar
 - 11 Wireless camera system
 - 12 Eco Mode

SPECIFICATIONS

Weight, Base Model	6,200 lbs
Fuel Tank, Aluminum	50 U.S. gallons
Hydraulic Tank Only	7 U.S. gallons
Engine	74 hp Tier 4, liquid-cooled diesel-powered engine
Collection Nozzle	Right-side
Parking Jack	Hydraulic
Battery	12 volt, 1190 amp; 950 CCA
Axle	7,000 lb. with electric brakes
Tires	ST235/80R16, load range E
Fan	30" diameter
Belts (five)	5VX



www.titanleafsolutions.com • (800) 851-9664
info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021

**AUTHORIZED DEALER:**

REV. June 2026

TITAN LEAF PRO RCH

EQUIPMENT FEATURES:

- Safety interlock system on intake nozzle
- 14,000 lb 3" adjustable pintle eye with safety chains
- Manual pickup with rear collection hose
- Heavy duty direct drive fan
- 74 hp Tier 4, liquid-cooled diesel-powered engine
- Manual jack, fire extinguisher, and wheel chocks
- DOT compliant lighting, markings and yellow flashers
- 12 volt battery with electrical system
- 16" rigid discharge nozzle with 4' hose
- Single function double acting electric over hydraulic power unit to power control arm
- 50 gallon aluminum fuel tank with built in gauge
- Heavy duty hand clutch
- Clean out door



Titan LEAF PRO RCH™




HGACBuy

Sourcewell
Awarded Contract

SPECIFICATIONS

Weight, Base Model 4,800 lbs
 Fuel Tank, Aluminum 50 U.S. Gallons
 Engine 74 hp Tier 4, liquid-cooled
 diesel-powered engine
 Battery 12 volt, 1190 amp; 950 CCA
 Axle 7,000 lb with electric brakes
 Tires ST235/80R16, load range E
 Fan 27" diameter (standard)



OPTIONS

- 1 99HP JD Engine
- 2 Strobe light
- 3 Elbow Liner
- 4 Trans-fluid coupler in lieu of standard clutch
- 5 Spare tire and wheel
- 6 Tool racks
- 7 Heavy duty rubber hose

The Titan Leaf Pro RCH has a rear collection hose making it perfect for narrow roads and tight spaces with easy left-to-right movement. If you're maintaining land that doesn't afford a lot of room, the RCH is for you.



Titan LEAF™
 SOLUTIONS

www.titanleafsolutions.com • (800) 851-9664
 info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER:

SPARTAN LEAF PRO

EQUIPMENT FEATURES:

- Safety interlock system with E-stop shut down capability
- 50 gallon fuel tank
- 16" overhead supported clear collection hose
- 74 hp Tier 4, liquid-cooled diesel-powered engine
- Hydraulic jack, fire extinguisher, and wheel chocks
- 15 - 30 yard collection body with full tailgate
- DOT compliant lighting, markings, yellow flashers
- 12 volt electrical system
- 12,000 lb axles with electric trailer brake
- Heavy duty direct drive collection fan
- Heavy duty hand clutch
- Quick disconnect suction hose
- Clean out door
- Hydraulic release tailgate



HGACBuy



Sourcwell

Awarded Contract

SPECIFICATIONS

Capacity and Empty Weight ..15 cu. yard - 10,500 lbs
 20 cu. yard - 11,000 lbs
 25 cu. yard - 12,500 lbs
 30 cu. yard - 13,000 lbs

Fuel Tank 50 U.S. Gallons

Engine..... 74 hp Tier 4, liquid-cooled diesel-powered engine

Battery 12 volt, 1190 amp; 950 CCA

Axles Tandem
 12,000 lb
 Axles with dual wheels

Tires ST235/85R16, load range E

Jack Hydraulic - 12,000 lbs

Fan 27" diameter

Hoist..... Single cylinder scissor hoist

OPTIONS

- 1 110 or 190 gallon dust control system with one electric pump & three nozzles
- 2 Heavy duty rubber hose
- 3 Directional light bar / L.E.D. flashers
- 4 Wireless camera System
- 5 Complete containment hood
- 6 Tarp
- 7 Spare tire/tool rack
- 8 Trans-fluid coupler in lieu of standard clutch



The Spartan Leaf Pro is a self-contained system designed to be pulled behind a towing vehicle. Benefits include being able to store more debris and stay out on the road for longer, with quick and easy emptying.



Collection Hose Arm Mount

- Improves hose stow on machine
- Reduces operator fatigue
- Neutral position of the hose is in the operating position, rather than the stow position

Titan LEAF™
 SOLUTIONS

www.titanleafsolutions.com • (800) 851-9664
 info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER:

SPARTAN LEAF PRO PLUS II

EQUIPMENT FEATURES:

- Proportional control with seat. Includes 3 axis underslung hydraulic boom
- 50 gallon fuel tank
- 74 hp Tier 4, liquid-cooled diesel-powered engine
- Hydraulic Jack, fire extinguisher, and wheel chocks
- 15 - 30 yard collection body with full tailgate
- DOT - compliant lighting, markings, and yellow flashers
- 12-volt electrical system
- 12,000 lb axles with electric trailer brakes
- Heavy duty direct drive collection fan
- Hydraulic release tailgate
- 16" diameter pickup hose with 3-function hydraulically controlled pickup arm (optional)
- Safety interlock system with Estop shut down
- Quick disconnect suction hose
- Clean out door



SPECIFICATIONS

Capacity and Empty Weight... 15 cu. yard - 11,000 lbs
 20 cu. yard - 11,500 lbs
 25 cu. yard - 13,000 lbs
 30 cu. yard - 13,500 lbs

Fuel Tank 50 U.S. Gallons

Engine..... 74 hp Tier 4, liquid-cooled diesel-powered engine

Jack Hydraulic - 12,000 lbs

Battery..... 12 volt - 1190 amp - 950 CCA

Axles Tandem
 12,000
 Axles with dual wheels

Tires ST235/85R16, Load E

Fan 27" diameter

Hoist..... Single cylinder scissor hoist

The ride-on operator seat of the Spartan Leaf Pro + will seriously change the way you pick up leaves. Make back-breaking work look easy and keep your team injury free, reducing fatigue and increasing efficiency.

OPTIONS

- 1 110 or 190 gallon dust control system with one electric pump & three nozzles
- 2 Operator hood
- 3 Directional light bar / L.E.D. flashers
- 4 Wireless camera System
- 5 Complete containment hood
- 6 Wireless control
- 7 Spare tire, tool rack, tarp
- 8 Heavy duty rubber hose
- 9 Eco Mode
- 10 Trans-fluid coupler or hydraulic clutch in lieu of standard clutch



Patent Pending

Now Offering ECO Mode:
 Results in Fuel, Noise,
 & Dust Reduction



Titan LEAF™
 SOLUTIONS

www.titanleafsolutions.com • (800) 851-9664
 info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER:

TITAN LEAF BOX

EQUIPMENT FEATURES:

- 12 - gauge sides, front and rear
- 1/2" expanded metal roof
- Manual door release, operated from driver-side
- Door hinge: (3) 1" pins with offset hinges
- Four lifting / tie down lugs
- Separate door lifting eye
- Rubber nozzle seal
- Short floor design for body over hang
- Nozzle support roller



Titan LEAF BOX™




HGACBuy

Sourcwell
Awarded Contract



(Shown with Options)



Option: Convertible to chipper box

Slip in design for installation in a dump body or on a flat bed and adapts to almost any leaf collection unit. Many options are available to customize the Titan Leaf Box to fit your exact needs. The Titan Leaf Box is built with what you need and no more!

12-gauge carbon steel sides and ends, 1/2" expanded metal roof and a short floor for overhanging the floor of the host vehicle. The manual door latch is operated from the driver's side, keeping the operator out of harms way of oncoming traffic.

*** Call for additional sizes**



SPECIFICATIONS

MODEL	LENGTH	WIDTH	HEIGHT	CAPACITY	APPROXIMATE WEIGHT
TLB8	8'	72"	68"	10 cubic yards	1,400 lbs
TLB9	9'	72"	68"	11.3 cubic yards	1,500 lbs
TLB10	10'	72"	68"	12.5 cubic yards	1,600 lbs
TLB12	12'	72"	68"	15 cubic yards	1,800 lbs



www.bonnell.com • (800) 851-9664 • info@bonnell.com
1385 Franklin Grove Rd. • Dixon, IL 61021




AUTHORIZED DEALER:

TITAN CHIPPER CAP

EQUIPMENT FEATURES:

- Sloped side and front provide styled look
- Custom fit to your dump body
- Bolts in place using board pockets
- 10 - gauge sides and front
- Vented openings
- Top lifting eyes
- Tube frame around rear opening



Titan CHIPPER
CAP™



HGACBuy

Sourcwell

Awarded Contract



Collect and haul your mulch, brush and chips in style. Each Titan Chipper Cap is custom built for an exact fit to your existing dump body. Remove the side boards, drop in place, bolt on, and go. Designed to contain stray debris and chips and look good too. The Titan Chipper Cap is fabricated from 10-gauge carbon steel.

*** Chipper caps are custom manufactured. Your measurements and specifications for chipper caps are required to build.**

*** Call for additional sizes**

SPECIFICATIONS					
MODEL	LENGTH	WIDTH	HEIGHT	CAPACITY	APPROXIMATE WEIGHT
TCC8	81" +/-	90"	46"	12 yards	900 lbs
TCC10	105" +/-	90"	46"	15 yards	1,000 lbs
TCC12	129"	90"	46"	18 yards	1,200 lbs



www.titanleafsolutions.com • (800) 851-9664
info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER:

OLYMPIAN HOOK LIFT PRO PLUS II

EQUIPMENT FEATURES:

- Safety interlock system
- 40 gallon fuel tank
- 30" balanced fan belt drive
- Trans-fluid coupler
- 74 hp Kubota V3800 Tier 4 diesel-powered, liquid cooled engine
- 23 yard collection body with full tailgate
- DOT - compliant lighting and markings
- 12-volt battery with electrical system
- Clean out door
- Post compensated proportional electric hydraulic valve controls
- Hook lift skid assembly (Does not include truck portion)
- Hydraulic lift tailgate w/door unlatch prox switch
- Direct wired engine control and joystick in truck cab



HGACBuy



Sourcwell

Awarded Contract

SPECIFICATIONS

Empty Weight:.....8,400 lbs - 12,000 lbs
Full Weight:16,400 lbs - 20,000 lbs
Fuel Tank, Aluminum:40 U.S. Gallons
Engine:.....74 hp Kubota V3800 Tier 4
Collection Nozzles:Right-side
Battery:.....12 volt, 1190 amp; 950 CCA
Fan:30" diameter

OPTIONS

1. Directional light bar/ L.E.D. flashers
2. 74 hp or 99 hp John Deere Tier 4
3. Hydraulic clutch
4. Down draft dust/water suppression
5. Wireless control
6. Eco Mode
7. 16, 23, or 30 yard containment bodies



Patent Pending

Adjustable Height Hook Lift Skid

Titan Leaf Solutions Patent Pending Adjustable Height Hook Lift is an industry first, and eliminates confusion, misfits, and rework when procuring a Hook Lift Leaf Vacuum for your fleet. No need to worry about matching your existing truck, or modifying your truck system to match hook heights. This system also increases versatility: if you need to switch the unit to a different truck with a lower or higher hook height, quickly adjust and hook loop up or down to meet your needs.

EQUIPMENT BENEFITS & FEATURES:

1. Single unit design, adjustable between 54" & 61-3/4" hook heights
2. Simple bolted connection allows for easy change over
3. Compatible with all hook lift system brands
4. No need to worry about fleet consistency or use with specific trucks
5. Increased resale value



The Olympian Hooklift Pro + II offers municipalities ultimate versatility with a leaf vacuum that can be rolled on and off at their own convenience. Perfect for teams that have to wear many hats throughout the season.



Now Offering ECO Mode:

Results in Fuel, Noise,
& Dust Reduction
Patent Pending



www.titanleafsolutions.com • (800) 851-9664
info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER:

OLYMPIAN LEAF PRO PLUS CHASSIS MOUNT II

EQUIPMENT FEATURES:

The Olympian Leaf Pro + Chassis Mount unit is mounted on a Peterbilt 537 chassis equipped with dual steer. A total vehicle length of just 24' provides an excellent turning radius to navigate narrow streets and cul-de-sacs. The cab over design of the Peterbilt 220 offers premium visibility, along with the ability to carry out fluid level inspections without having to tip the cab.

Features include in cab controls to operate a 180 degree swing arm boom, hydraulic tailgate latch and dumping controls.

With a hose reach of 11' and ditch reach of 50", the Olympian Chassis Mount Pro + can pick up from the deepest of ditches and culverts!



HGACBuy





OPTIONS

1. 99 or 74 hp John Deere engine option
2. 74 hp Kubota engine option
3. Hydraulic clutch
4. Directional light bar
5. Elbow Liner
6. Quick disconnect hose
7. Down draft tailgate exhaust
8. Dust suppression system
9. Rear hitch with rear wood chipper door
10. Eco Mode
11. Rear dump wireless camera/wireless controls

If you're running a leaf program year-round then the Olympian Leaf Pro Plus Chassis Mount is a great option. This dedicated vehicle will be ready to go when you are, and is guaranteed to make your leaf collection quick and easy.



Patent Pending

Now Offering ECO Mode:

Results in Fuel, Noise,
& Dust Reduction

SPECIFICATIONS

Empty GVRW Weight: 35,000 lbs
 Standard Collection Capacity: ... 23 yards
 High Collection Capacity: 30 yards
 Fuel Tank, Aluminum: 40 U.S. Gallons
 Dump Angle: 54 degrees
 Collection Nozzles: Right-side
 Battery: 12 volt, 1190 amp; 950 CCA
 Fan: 30" diameter



www.titanleafsolutions.com • (800) 851-9664
 info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER:

OLYMPIAN LEAF PRO PLUS II

EQUIPMENT FEATURES:

- Gated operator platform with swivel seat & CANbus joystick controls
- Safety interlock system on suction fan & belt guard
- 40 gallon aluminum fuel tank
- Heavy duty belt drive fan
- 74 hp Tier 4, liquid-cooled diesel engine
- Quick disconnect suction hose
- Straight rear exhaust
- 180 degree swing extended reach collection boom
- 23 or 30 yard collection body with packer style tailgate
- Proportional electric hydraulic valve controls
- 16" diameter pickup hose with 3-function hydraulically controlled pickup arm (optional)
- DOT compliant lighting & markings
- Clean out door



Results in Fuel, Noise,
& Dust Reduction
Patent Pending



HGACBuy



The gated operator platform of the Olympian Leaf Pro Plus will seriously change the way you pick up leaves. Make back-breaking work easy and keep your team injury free, reducing fatigue and increasing efficiency.

The CANbus joystick controls, swivel seat and 180 degree swing extended ready collection boom allow the operator maximum control and visibility when collecting leaves.

The self-contained unit will allow the team to stay out on the road longer and collect more debris, before needing to empty.

OPTIONS

1. 74 or 99 hp John Deere Tier 4 diesel engine
2. Transfluid coupler
3. Hydraulic clutch
4. Down draft tailgate exhaust
5. Down draft dust control with water suppression
6. Directional lightbar
7. Tool rack & spare tire
8. Operator hood
9. Wireless controls
10. Eco Mode
11. Trans-fluid coupler or hydraulic clutch in lieu of standard clutch
12. Tongue extention
13. Enclosed Cab


SPECIFICATIONS

	Standard Capacity	High Capacity
Empty Weight (lbs):	13,000	14,500
Collection Capacity (cubic yds):	23	30
Fuel Tank, Aluminum (US Gallons):	40	40
Dump Angle (degrees):	52	52
Battery:	12 volt, 1190 amp; 950 CCA	
Fan Diameter:	30"	30"
Axles:	12k tandem	12k tandem
Tires:	ST235/85R16	ST235/85R16

NEW Enclosed Operator Station!

Open the door to increased operator safety, efficiency, and comfort with the all-new enclosed operator station.

1. Heavy Sound deadening insulation
2. Fully adjustable seat w/arm rest joystick
3. Cooling/defroster fan
4. Three piece glass for optimal visibility
5. Charging station/cup holer/coat hook
6. Cab heat/work light/wipers/horn AND MORE!



www.titanleavesolutions.com • (800) 851-9664
info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021




AUTHORIZED DEALER:

TITAN LEAF LOCKER

EQUIPMENT FEATURES:

- 10 ft length
- Inside dimensions are 126" long, 72" wide and 75" high
- 14.5 cubic yard capacity
- 16 ga. pre-galvanized panel construction.
- Integral honeycomb air vents on roof panels
- Door hinge: (3) 1" pins with offset hinges
- Shipped LTL to your door in kit form
- Manual door release operated from driver side



Titan LEAF LOCKERTM




Sourcewell 
Awarded Contract

The Titan Leaf Locker has a modular, lightweight design and is easy to assemble. Shipped LTL to your door in kit form, you won't pay expensive flatbed charges. The slip-in design installs in a dump body or flat bed, and adapts to most any leaf collection unit. Built with what you need and nothing more, the Leaf Locker is constructed of 16 ga. pre-galvanized panels, with a heavy gauge reinforced under structure and rear door frame which has a

manual latch and is operated from the driver's side, keeping the operator out of harm's way of oncoming traffic. Other features include integral honeycomb air vents on the roof panels; side stiffener members for use as tie downs and lifting; separate door lifting eye and (3) 1" pins with offset hinges for the door hinges; short floor designed for body over hang; rubber nozzle seal and nozzle support roller.

2' Extension Kit options available




Honeycomb air vents on roof panels

16 ga. pre-galvanized panels

Reinforced under structure


Rubber nozzle seal and nozzle support roller

Rear door frame with manual latch operated from driver's side



SPECIFICATIONS

Empty Weight:	1,400 lbs
Collection Capacity:	14.5 cubic yards
Length:	126 inches
Width:	72 inches
Height:	75 inches



Save shipping costs with the Titan Leaf Locker - shipped LTL to your door in kit form so you won't pay expensive flatbed charges. Simply put the box together when it arrives.



www.titanleavesolutions.com • (800) 851-9664
info@bonnell.com • 1385 Franklin Grove Rd. Dixon, IL 61021



AUTHORIZED DEALER: